



TECHNICAL DATA

GB 2T SUPER

APPLICATIONS

GB 2T SUPER is a semi-synthetic self-mix two-stroke oil, formulated from the highest quality synthetic and virgin mineral base oils, combined with multifunctional additives and solvents for use in a wide range of applications, such as high performance motor cycles, chainsaws, snowmobiles and most other types of air-cooled two-stroke engines.

PERFORMANCE FEATURES

GB 2T SUPER offers the following features:

- Reduced spark-plug fouling
- Reduced pre-ignition
- Reduced ring-sticking
- Reduced smoke
- Effective protection against corrosion
- Effective protection against wear
- Clean burning characteristics
- Dye for easy visibility when mixed with fuel

DILUTION

GB 2T SUPER has a treatment of 2% and above, dependent upon the manufacturer's recommendations. The oil should be added to the petrol. Do not add petrol to the oil.

Cont'd .../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP

Tel: 0191 490 4312

Fax: 0191 477 9544

e-mail: gblsales@gb-lubricants-fuels.co.uk

www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

GB LUBRICANTS

PERFORMANCE DETAILS

GB 2T SUPER may be used where the following specifications are required:

API TC	JASO FD	ROTAX 253 SNOWMOBILE
HUSQVARNA	PIAGGIO	TISI
ISO-L-EGD		

CHARACTERISTICS

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
Appearance	-	-	Red
Density at 15°C	kg/m ³	IP 160	871
Kinematic Viscosity @ 40°C	cSt	IP 71	53.3
Kinematic Viscosity @ 100°C	cSt	IP 71	9.2
Viscosity Index	-	IP 226	155
Flash Point	°C	IP 34	88
Pour Point	°C	IP 15	-19

STORAGE AND HANDLING

GB 2T SUPER should be stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

GB 2T SUPER is classified as hazardous under current UK Health & Safety and Environmental Legislation and should only be used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.