



# TECHNICAL DATA

## GB ATF II

A premium automatic transmission fluid

## APPLICATIONS

GB ATF II has been developed using the highest quality mineral virgin base oils and multifunctional additives, for use in all automatic transmissions and hydraulic systems, for which the Original Equipment Manufacturer has specified the use of a Dexron® IID fluid.

## PERFORMANCE FEATURES

GB ATF II is formulated to surpass the exacting requirements of the specifications and standards of modern automatic transmission fluids and offers the following features:

- Stable frictional properties, giving excellent shifting performance
- Thermal and oxidation stability
- Good low temperature performance
- Excellent wear and corrosion protection
- Seal material compatibility
- Low foaming

## PERFORMANCE DETAILS

GB ATF II may be used where the following specifications are required:

ALLISON C-4	MERCEDES BENZ p236.7	VOITH G607
CATERPILLAR T0-2	ZF TE-ML-09	RENK
GENERAL MOTORS DEXRON® IID	ZF TE-ML-11	
MAN 339-D	ZF TE-ML-14	

Cont'd .../...

## **GB LUBRICANTS**

Albany Road Gateshead NE8 3BP  
 Tel: 0191 490 4312  
 Fax: 0191 477 9544  
 e-mail: gblsales@gb-lubricants-fuels.co.uk  
 www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093  
ISO 9001



EMS 72776  
ISO 14001



OHS 88475  
OHSAS 18001

**CHARACTERISTICS**

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
Appearance	-	-	Red liquid
Density @ 15°C	kg/m <sup>3</sup>	IP 160	870
Kinematic Viscosity @ 40°C	cSt	IP 71	37.2
Kinematic Viscosity @ 100°C	cSt	IP 71	7.2
Viscosity Index	-	IP 226	161
Flash Point	°C	IP 34	188

**STORAGE AND HANDLING**

GB ATF II should be stored under cover to avoid water collecting in the rim of upturned barrels.

**HEALTH, SAFETY AND THE ENVIRONMENT**

GB ATF II is not classified as hazardous under current UK Health & Safety and Environmental Legislation when used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, [www.environment-agency.gov.uk](http://www.environment-agency.gov.uk), as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.