



TECHNICAL DATA

GB GERION® MT-75

APPLICATIONS

GB GERION® MT-75 has been developed using the highest quality virgin mineral base oils and advanced additive systems, for use in 5-speed gearboxes, where oils meeting Ford ESD-M2C-186A are specified.

PERFORMANCE FEATURES

GB GERION® MT-75 is specifically formulated to meet Ford ESD-M2C-186A and offers the following features:

- Enhanced gear changes
- Improved frictional properties
- Thermal stability
- Oxidation stability
- Anti-wear performance
- Corrosion protection
- Low foaming
- Seal compatibility

PERFORMANCE DETAILS

GB GERION® MT-75 may be used where the following specification is required:

FORD ESD – M2C – 186A

Cont'd.../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP

Tel: 0191 490 4312

Fax: 0191 477 9544

e-mail: gblsales@gb-lubricants-fuels.co.uk

www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

GB LUBRICANTS

CHARACTERISTICS

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
SAE	-	-	75W
Appearance	-	-	Red liquid
Density @ 15°C	kg/m ³	IP 160	874
Kinematic Viscosity @ 40°C	cSt	IP 71	42.7
Kinematic Viscosity @ 100°C	cSt	IP 71	7.8
Viscosity Index	-	IP 226	155
Flash Point	°C	IP 34	164

STORAGE AND HANDLING

GB GERION® MT-75 should be stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

GB GERION® MT-75 is not classified as hazardous under current UK Health & Safety and Environmental Legislation when used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.