



TECHNICAL DATA

GB GERION® PD 80W-90

APPLICATIONS

GB GERION® PD 80W-90 has been developed using the highest quality virgin mineral base oils and multifunctional additives, for manual transmissions and spiral-bevel axles, operating under moderately severe conditions of speed and load.

PERFORMANCE FEATURES

GB GERION® PD 80W-90 is formulated for moderately severe operating conditions and offers the following features:

- Oxidation stability
- Anti-wear performance
- Corrosion protection
- Enhanced gear changes

PERFORMANCE DETAILS

GB GERION® PD 80W-90 may be used where the following specifications are required:

API GL-3	FIAT ZC	VOLVO 97305
----------	---------	-------------

CHARACTERISTICS

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
SAE			80W-90
Density @ 15°C	kg/m ³	IP 160	891
Kinematic Viscosity @ 40°C	cSt	IP 71	144.8
Kinematic Viscosity @ 100°C	cSt	IP 71	14.5
Viscosity Index	-	IP 226	98
Brookfield Viscosity @ -26°C	cP	ASTM D2983	107,500
Flash Point	°C	IP 34	190
Pour Point	°C	IP 15	-30

Cont'd .../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP
 Tel: 0191 490 4312
 Fax: 0191 477 9544
 e-mail: gblsales@gb-lubricants-fuels.co.uk
 www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

STORAGE AND HANDLING

GB GERION® PD 80W-90 should be stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

GB GERION® PD 80W-90 is not classified as hazardous under current UK Health & Safety and Environmental Legislation when used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.